

Pacific Newborn Clinic

Skilled Hands with a Gentle Touch

NEWBORN CIRCUMCISION CONSENT FORM

Patient Information:		
Baby's Name:		
• Date of Birth:		
Mother's Name:		
• Father's Name:		
Procedure Overview:		
·	cedure that involves the surgical removal of the normal fore ewborn will be placed in a standard circumcision immobiliza	
local anesthesia will be admini	stered and the foreskin will be removed by use of the appro	
technique & instruments.		

Benefits:

Clinical studies have found several benefits to newborn circumcision. These include:

- Easier hygiene
- Reduction in urinary tract infections (UTIs), especially during the first year of life
- Decreased risk of sexually transmitted infections (STIs) later in life



Pacific Newborn Clinic

Skilled Hands with a Gentle Touch

- o HIV, Syphilis, Genital Ulcer Disease, Genital Herpes
- Reduction in sexually transmitted infections in female partners
 - o HPV, Bacterial Vaginosis & Trichomonas vaginalis
- Prevention of phimosis, paraphimosis or balanitis.
- Decreased risk of penile cancer

Risks:

Newborn Circumcisions have a low rate of complications (0.4%), but any surgical procedure carries some risks which include:

- Risk of bleeding
 - o 1/100 small amount of bleeding that can be stopped with gentle pressure
 - 1/4,000 excessive bleeding that would require evaluation and closure by Urology
 - o 1/20,000 significant bleeding that might require a blood transfusion
- Risk of infection
 - o 1/1,000 localized infection that requires the application of a topical antibiotic for days
 - o 1/4,000 infection requiring oral or IV antibiotics
- Suboptimal cosmetic outcome
 - o Occasionally too much or too little foreskin is removed
 - o Rarely this can require a second procedure by a Urologist for a better outcome
- Trauma to the Penis
 - Rarely can there be an injury to the penis that would require urgent Pediatric Urology surgical consultation and repair
 - o Injury could be to the penis itself or the urethra that carries urine out of the body
- Local Anesthesia side effects



Pacific Newborn Clinic

Skilled Hands with a Gentle Touch

Penile adhesions

Contraindications:

- Current illness, infection, fever or medical disorder (i.e. Congenital Heart Disease)
- Family history of Bleeding Disorders
- Congenital Penile anomalies (anatomy of the penis is abnormal at birth)
- Skin or Connective Tissue Disorders
- Jaundice
- Infant that has not voided yet
- Infant Prematurity (born < 37 weeks of gestation)
- Weight < 5.5 lbs or > 12 lbs

Acknowledgment:

I acknowledge that I have been informed about the circumcision procedure, its benefits, and its risks. I have had the opportunity to ask questions, and all my concerns have been addressed.

I understand that if during the procedure the Physician may choose not to complete the circumcision due to clinical reasons which may include abnormal anatomy, poor cosmetic outcome, bleeding or anesthesia complications. In this case, you will be referred to a Pediatric Urologist for evaluation.

I understand that I have the right to refuse this procedure and that complications, while rare, can occur.

Consent:

By signing below, I consent to the circumcision of my newborn son.



Skilled Hands with a Gentle Touch